

Generation of Checkered Pattern Images Using Prewitt Filter from RGB-D Images

Toru Hiraoka

*Department of Information Systems, University of Nagasaki,
1-1-1, Manabino Nagayo, Nishisonogi, Nagasaki, 815-2195, Japan
E-mail: hiraoka@sun.ac.jp*

Ryosuke Takaki

*Division of Computer Science, Graduate School of Regional Design and Creation, University of Nagasaki
1-1-1, Manabino, Nagayo-chou, Nishisonogi-gun, Nagasaki-ken, 815-2195, Japan
E-mail: mc220002@sun.ac.jp*

Abstract

A non-photorealistic rendering (NPR) method for generating checkered pattern images from gray-scale photographic images using Prewitt filter with an expanded window size has been proposed. In this paper, we propose an extension of the conventional method to apply to RGB-D images. Our method can change the size of the checkered patterns depending on the depth. To verify the effectiveness of our method, we conducted experiments that are visually confirmed the checkered patterns by changing the parameters in our method.

Keywords: non-photorealistic rendering, checkered pattern, RGB-D image, Prewitt filter

1. Introduction

NPR^{1,2} combines computer graphics with artistic techniques, and generates non-photorealistic images from photographic images, videos and three dimensional data. An NPR method for generating checkered pattern images from gray-scale photographic images using Prewitt filter with an expanded window size has been proposed³. Checkered pattern images are expressed by superimposing checkered patterns on gray-scale photographic images. Since it is now possible to acquire RGB-D images with smartphones, the visual effect of checkered pattern images is expected to be improved by making the conventional method applicable to RGB-D images. RGB-D images have red, green and blue values and depth.

We in this paper propose an extension of the conventional method to apply to RGB-D images. The checkered patterns generated by our method dose not vary with RGB values, and the size of the checkered patterns varies with the depth. To verify the effectiveness

of our method, we conducted experiments to visually confirm the checkered patterns generated by changing the values of the parameters in our method. The experimental result show that our method can generate the checkered pattern images without any shift in the checkered patterns depending on RGB values, and that our method can change the size of the checkered patterns by changing the values of the parameters.

2. Our method

Our method is implemented in two steps. Step 1 calculates the gradients of the gray-scale pixel values obtained the RGB pixel values using Prewitt filter. Step 2 converts the RGB videos using the gradients by changing the window size according to the depth. By repeating Steps 1 and 2, checkered pattern images of our method are generated.

The detailed procedure of our method is as follows.

Step 0: The input pixel values (R, G, B) and the depth for spatial coordinates (i, j) of an RGB-D image are denoted by $f_{R,i,j}$, $f_{G,i,j}$, $f_{B,i,j}$ and $f_{D,i,j}$,

respectively. Subsequently, the pixel values of the image at the t th iteration number are denoted by $f_{R,i,j}^{(t)}$, $f_{G,i,j}^{(t)}$ and $f_{B,i,j}^{(t)}$, where $f_{R,i,j}^{(1)} = f_{R,i,j}$, $f_{G,i,j}^{(1)} = f_{G,i,j}$ and $f_{B,i,j}^{(1)} = f_{B,i,j}$. The pixel values $f_{R,i,j}^{(t)}$, $f_{G,i,j}^{(t)}$ and $f_{B,i,j}^{(t)}$ have value of U gradation from 0 to $U - 1$. The depths $f_{D,i,j}$ are stored in cm and the unit of depths $f_{D,i,j}$ is meters. At each pixel, the window sizes $W_{i,j}$ that determine the size of the checkered patterns are calculated in the following equation:

$$W_{i,j} = W_{\max} - \frac{(W_{\max} - W_{\min})(f_{D,i,j} - f_{D,\min})}{f_{D,\max} - f_{D,\min}} \quad (1)$$

where $f_{D,\min}$ and $f_{D,\max}$ are respectively the minimum and maximum values in the depth $f_{D,i,j}$, and W_{\min} and W_{\max} are respectively the minimum and maximum window sizes set by the user. The smaller the values of the depth $f_{D,i,j}$, the larger the size of the checkered patterns.

Step 1: The gray-scale pixel values $f_{i,j}^{(t)}$ are calculated in the following equation:

$$f_{i,j}^{(t)} = \frac{f_{R,i,j}^{(t)} + f_{G,i,j}^{(t)} + f_{B,i,j}^{(t)}}{3} \quad (2)$$

The gradients of the pixel values $g_{x,i,j}^{(t)}$ and $g_{y,i,j}^{(t)}$ are calculated using Prewitt filter with the expanded window in the following equations:

$$g_{x,i,j}^{(t)} = \sum_{l=j-W_{i,j}}^{j+W_{i,j}} (f_{i-W_{i,j},l}^{(t)} - f_{i+W_{i,j},l}^{(t)}) \quad (3)$$

$$g_{y,i,j}^{(t)} = \sum_{k=i-W_{i,j}}^{i+W_{i,j}} (f_{k,j-W_{i,j}}^{(t)} - f_{k,j+W_{i,j}}^{(t)}) \quad (4)$$

$$g_{i,j}^{(t)} = \sqrt{g_{x,i,j}^{(t)2} + g_{y,i,j}^{(t)2}} \quad (5)$$

$$g_{x,i,j}^{(t)} = \frac{g_{x,i,j}^{(t)}}{g_{i,j}^{(t)}} \quad (6)$$

$$g_{y,i,j}^{(t)} = \frac{g_{y,i,j}^{(t)}}{g_{i,j}^{(t)}} \quad (7)$$

where k and l are the positions in the window.

Step 2: The output pixel values $f_{R,i,j}^{(t+1)}$, $f_{G,i,j}^{(t+1)}$ and $f_{B,i,j}^{(t+1)}$ are calculated using the gradients of the pixel values $g_{x,i,j}^{(t)}$ and $g_{y,i,j}^{(t)}$ in the following equations:

$$f_{R,i,j}^{(t+1)} = \begin{cases} f_{R,i,j} + ag_{x,i,j}^{(t)} & (t \bmod 2 = 0) \\ f_{R,i,j} + ag_{y,i,j}^{(t)} & (t \bmod 2 = 1) \end{cases} \quad (8)$$

$$f_{G,i,j}^{(t+1)} = \begin{cases} f_{G,i,j} + ag_{x,i,j}^{(t)} & (t \bmod 2 = 0) \\ f_{G,i,j} + ag_{y,i,j}^{(t)} & (t \bmod 2 = 1) \end{cases} \quad (9)$$

$$f_{B,i,j}^{(t+1)} = \begin{cases} f_{B,i,j} + ag_{x,i,j}^{(t)} & (t \bmod 2 = 0) \\ f_{B,i,j} + ag_{y,i,j}^{(t)} & (t \bmod 2 = 1) \end{cases} \quad (10)$$

where a is a positive constant. If $f_{R,i,j}^{(t+1)}$, $f_{G,i,j}^{(t+1)}$ and $f_{B,i,j}^{(t+1)}$ are less than 0, then $f_{R,i,j}^{(t+1)}$, $f_{G,i,j}^{(t+1)}$ and $f_{B,i,j}^{(t+1)}$ must be set to 0, respectively. If $f_{R,i,j}^{(t+1)}$, $f_{G,i,j}^{(t+1)}$ and $f_{B,i,j}^{(t+1)}$ are greater than $U - 1$, then $f_{R,i,j}^{(t+1)}$, $f_{G,i,j}^{(t+1)}$ and $f_{B,i,j}^{(t+1)}$ must be set to $U - 1$, respectively.

A checkered pattern image is obtained after Steps 1 and 2, which involves T iterations.

3. Experiments

An RGB-D image was obtained using ZED stereo camera. In the following experiments, the RGB-D image in Fig. 1 was used: the left and right sides of Fig. 1 are the RGB and depth images, respectively. In the depth image, a white area indicates a greater distance. The RGB-D image comprised 1280 * 720 pixels and 256 gradations.

Checkered pattern images generated by changing the iteration number T was set to 5, 10, 25 and 50. The other parameters a , W_{\min} and W_{\max} were set to 60, 2 and 7, respectively. The checkered pattern images generated under these conditions are shown in Fig. 2. As the iteration number T increased, the checkered patterns became clearer.

Checkered pattern images generated by changing the parameter a was set to 20, 40, 60 and 80. The other parameters T , W_{\min} and W_{\max} were set to 50, 2 and 7,




Fig. 1. RGB-D image.




Fig. 2. Checkered pattern images generated by changing the iteration number T .




Fig. 3. Checkered pattern images generated by changing the parameter a .




Fig. 4. Checkered pattern images generated by changing the window size W_{min} .




Fig. 5. Checkered pattern images generated by changing the window size W_{max} .

respectively. The checkered pattern images generated under these conditions are shown in Fig. 3. The larger the parameter a , the deeper were the checkered patterns. In all checkered pattern images, the checkered patterns did not vary with RGB values.

Checkered pattern images generated by changing the window size W_{min} was set to 1, 2, 3 and 4. The other parameters T , a and W_{max} were set to 50, 60 and 7, respectively. The checkered pattern images generated under these conditions are shown in Fig. 4. The smaller the window size W_{min} , the smaller were the size of the checkered patterns in the distance. In all checkered pattern images, the checkered patterns did not vary with RGB values.

Checkered pattern images generated by changing the window size W_{max} was set to 5, 6, 7 and 8. The other parameters T , a and W_{min} were set to 50, 60 and 2, respectively. The checkered pattern images generated under these conditions are shown in Fig. 5. The larger the window size W_{max} , the bigger were the size of the checkered patterns nearby. In all checkered pattern images, the checkered patterns did not vary with RGB values.

4. Conclusion

We proposed an NPR method for generating checkered pattern images from RGB-D images. Our method was executed by an iterative process using Prewitt filter with an expanded window size. To verify the effectiveness of our method, the changes in the checkered pattern images by changing the values of the parameters were investigated. Using our method, the checkered pattern images could be generated without any shift in the checkered patterns depending on RGB values, and that the size of the checkered patterns could be changed by changing the values of the parameters.

Acknowledgements

This work was supported by JSPS KAKENHI Grant Number JP19K12664.

References

1. P. Haeberli, [Paint by numbers: abstract image representations](#), *ACM SIGGRAPH Computer Graphics*. 24(4), 1990, pp. 207-214.

2. D. D. Seligmann and S. Feiner, Automated generation of intent-based 3D illustrations, *ACM SIGGRAPH Computer Graphics*. **25**(4), 1991, pp. 123-132.
3. T. Hiraoka, Generation of checkered pattern images by iterative calculation using Prewitt filter with expanded window size, *IEICE Transactions on Information and Systems*. **E103-D** (11), 2020, pp. 2407-2410.

Authors Introduction

Dr. Toru Hiraoka



He graduated Doctor course at Design in Kyushu Institute of Design. He is a Professor in the Faculty of Information Systems in University of Nagasaki. His current research interests are non-photorealistic rendering and disaster prevention.

Mr. Ryosuke Takaki



He is a student in the Division of Computer Science, Graduate School of Regional Design and Creation in University of Nagasaki. His current research interests are non-photorealistic rendering and image processing.